UNIVERSITY OF HAWAII
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 24
28 February 1967 to 28 March 1967

ACADEMIC PRESS
LONDON and NEW YORK

4301
J73

Copyright © 1967, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

683344

QH
J73
v.24

CONTENTS OF VOLUME 24

NUMBER 1, 28 FEBRUARY 1967

LIN, J-Y., TSUNG, C. M. and FRAENKEL-CONRAT, H., The Coat Protein of the RNA Bacteriophage MS2 1

MITSUI, Y., IITAKA, Y. and TSUBOI, M., Side-chain Interaction between the α-Helices of Poly-γ-benzyl-L- and D-glutamates 15

APPENDIX: Infrared Spectrum of Dibenzyl Crystal 27

MAIO, J. J. and SCHILDKRAUT, C. L., Isolated Mammalian Metaphase Chromosomes. I. General Characteristics of Nucleic Acids and Proteins . . 29

JACOBY, G. A. and GORINI, L., Genetics of Control of the Arginine Pathway in *Escherichia coli* B and K 41

HENN, F. A., DECKER, G. L., GREENAWALT, J. W. and THOMPSON, T. E., Properties of Lipid Bilayer Membranes separating Two Aqueous Phases: Electron Microscope Studies 51

GIRARD, M., BALTIMORE, D. and DARNELL, J. E., The Poliovirus Replication Complex: Site for Synthesis of Poliovirus RNA 59

LAWLEY, P. D., Reaction of Hydroxylamine at High Concentration with Deoxycytidine or with Polycytidylic Acid: Evidence that Substitution of Amino Groups in Cytosine Residues by Hydroxylamino is a Primary Reaction, and the Possible Relevance to Hydroxylamine Mutagenesis . 75

DAHLBERG, J. E. and HASELKORN, R., Studies on the Binding of Turnip Yellow Mosaic Virus RNA to *Escherichia coli* Ribosomes 83

DAHLBERG, J. E. and HASELKORN, R., Studies on the Non-specific Binding of Ribosomal RNA to *Escherichia coli* Ribosomes 105

LIQUORI, A. M., COSTANTINO, L., CRESCENZI, V., ELIA, V., GIGLIO, E., PULITI, R., DE SANTIS SAVINO, M. and VITAGLIANO, V., Complexes between DNA and Polyamines: a Molecular Model 113

Letters to the Editor—

LIQUORI, A. M., ASCOLI, F. and DE SANTIS SAVINO, M., Competitive Effect of Spermidine on the Solubilization of 3,4-Benzpyrene in DNA Solutions 123

BISHOP, J. M., QUINTRELL, N. and KOCH, G., Poliovirus Double-stranded RNA: Inactivation by Ultraviolet Light 125

ANDOH, T. and GAREN, A., Fractionation of a Serine Transfer RNA containing Suppressor Activity 129

LINDSKOG, S. and EHRENBERG, A., Magnetic Susceptibility and Near Infrared Spectra of Bovine Cobalt Carbonic Anhydrase 133

ATKINS, E. D. T., A Four-strand Coiled-coil Model for Some Insect Fibrous Proteins 139

YANOFSKY, C. and ITO, J., Orientation of Antipolarity in the Tryptophan Operon of *Escherichia coli* 143

Announcement 147

NUMBER 2, 14 MARCH 1967

GESTELAND, R. F. and STAEHELIN, T., Electrophoretic Analysis of Proteins from Normal and Cesium Chloride-treated *Escherichia coli* Ribosomes . 149

OLINS, D. E., OLINS, A. L. and VON HIPPEL, P. H., Model Nucleoprotein Complexes: Studies on the Interaction of Cationic Homopolypeptides with DNA 157

TONOMURA, B. and RABINOWITZ, J. C., An Investigation of the Induction of β-Galactosidase in a Broken Spheroplast Preparation of *Escherichia coli* . 177

THORNE, H. V., Electrophoretic Characterization and Fractionation of Polyoma Virus DNA 203

WU, H. C. P., Role of the Galactose Transport System in the Establishment of Endogenous Induction of the Galactose Operon in *Escherichia coli* . . 213

EDLIN, G. and NEUHARD, J., Regulation of Nucleoside Triphosphate Pools in *Escherichia coli* 225

DAS, H. K., GOLDSTEIN, A. and LOWNEY, L. I., Attachment of Ribosomes to Nascent Messenger RNA in *Escherichia coli* 231

LEIVE, L. and KOLLIN, V., Synthesis, Utilization and Degradation of Lactose Operon mRNA in *Escherichia coli* 247

PREVIERO, A., COLETTI-PREVIERO, M.-A. and JOLLÉS, P., Localization of Non-essential Tryptophan Residues for the Biological Activity of Lysozyme . 261

MANOR, H. and HASELKORN, R., Properties of Ribonucleic Acid Components in Ribonucleoprotein Particle Preparations obtained from an *Escherichia coli* $RC^{relaxed}$ Strain. 269

FINCH, J. T. and KLUG, A., Structure of Broad Bean Mottle Virus. I. Analysis of Electron Micrographs and Comparison with Turnip Yellow Mosaic Virus and its Top Component 289

APPENDIX: Calculation and Display of Superposition Patterns (with the assistance of MISS A. CAMPBELL) 301

Letters to the Editor—

FINCH, J. T., KLUG, A. and VAN REGENMORTEL, M. H. V., The Structure of Cucumber Mosaic Virus 303

WEEDS, A. G. and HARTLEY, B. S., A Chemical Approach to the Substructure of Myosin 307

PERITI, P. F., QUAGLIAROTTI, G. and LIQUORI, A. M., Recognition of α-Helical Segments in Proteins of Known Primary Structure . . 313

MANOR, H. and HASELKORN, R., Properties of Ribonucleoprotein Particles produced by an *Escherichia coli* $RC^{relaxed}$ Strain Starved for Histidine 323

SYPHERD, P. S., Message Activity of RNA derived from Immature Ribosomes 329

SZER, W. and NOWAK, L., Interaction of Polyuridylic Acid Analogues with *Escherichia coli* Ribosomes 333

GOLDBERG, M., Viruses and a Mathematical Problem 337

ULLMANN, A., JACOB, F. and MONOD, J., Characterization by *in vitro* Complementation of a Peptide corresponding to an Operator-proximal Segment of the β-Galactosidase Structural Gene of *Escherichia coli* . . . 339

MILLER, J. H. and SOBELL, H. M., Infrared Demonstration of Hydrogen Bonding between Purine and Pyrimidine Base Analogues in Solution . 345

POLJAK, R. J., DINTZIS, H. M. and GOLDSTEIN, D. J., Crystallographic Study of Rabbit Fc: I. A. Correction. II. A Comparison of Crystals from Different Allotypes 351

Announcement 353

NUMBER 3, 28 MARCH 1967

JACOB, M. et POUYET, G., Analyse de l'hétérogénéité de composition de deux échantillons d'acide désoxyribonucléique par ultracentrifugation . . 355

ANNEXE: Relation entre $\langle \epsilon^2 \rangle$ et M_n 365

MÖLLER, W. and WIDDOWSON, J., Fractionation Studies of the Ribosomal Proteins from *Escherichia coli* 367

BERNAL, J. D., Symmetry of the Genesis of Form 379

LEON, S. A. and BROCK, T. D., Effect of Streptomycin and Neomycin on Physical Properties of the Ribosome 391

SVETAILO, E. N., PHILIPPOVICH, I. I. and SISSAKIAN, N. M., Differences in Sedimentation Properties of Chloroplast and Cytoplasmic Ribosomes from Pea Seedlings 405

HELMSTETTER, C. E., Rate of DNA Synthesis during the Division Cycle of *Escherichia coli* B/r 417

MITRA, S., REICHARD, P., INMAN, R. B., BERTSCH, L. L. and KORNBERG, A., Enzymic Synthesis of Deoxyribonucleic Acid. XXII. Replication of a Circular Single-stranded DNA Template by DNA Polymerase of *Escherichia coli* 429

DRENTH, J., JANSONIUS, J. N. and WOLTHERS, B. G., The Crystal Structure of Papain. II. A Three-dimensional Fourier Synthesis at 4·5 Å Resolution . 449

FORCHHAMMER, J. and KJELDGAARD, N. O., Decay of Messenger RNA *in vivo* in a Mutant of *Escherichia coli* 15 459

Letters to the Editor—

SCHOLES, C. P., HUTCHINSON, F. and HALES, H. B., Ultraviolet-induced Damage to DNA Independent of Molecular Weight. 471

KAYE, A. M. and WINOCOUR, E., On the 5-Methylcytosine found in the DNA extracted from Polyoma Virus 475

KAYE, A. M., SALOMON, R. and FRIDLENDER, B., Base Composition and Presence of Methylated Bases in DNA from a Blue-Green Alga *Plectonema boryanum* 479

MIYAZAWA, F. and TAMAOKI, T., Reversible Dissociation of *Escherichia coli* Ribosomes by *p*-Chloromercuribenzoate 485

ONO, J. and SHIMAZU, Y., *In vivo* Cleavage of a Circular, Single-stranded DNA of Bacteriophage ϕR irradiated with Ultraviolet Light . . 491

Index to Volume 24

Alga (see *Plectonema boryanum*), 479
α-Helical segments, recognition in proteins of known primary structure, 313
α-Helices of poly-γ-benzyl-L- and D-glutamates, side-chain interaction, 15
Andoh, T. & Garen, A., Fractionation of a serine transfer RNA containing suppressor activity, 129
Anhydrase, bovine cobalt carbonic, magnetic susceptibility and near infrared spectra, 133
Arginine pathway, genetic control in *Escherichia coli* B and K strains, 41
Ascoli, F. (see Liquori, A. M.), 123
Atkins, E. D. T., A four-strand coiled-coil model for some insect fibrous proteins, 139

Bacteriophage MS2 coat protein, 1
— φR ultraviolet-irradiated, *in vivo* cleavage of circular double-stranded DNA, 491
Baltimore, D. (see Girard, M.), 59
Base analogues of purine and pyrimidine in solution, infrared demonstration of hydrogen bonding, 345
3,4-Benzpyrene solubilization in DNA solutions, competitive effect of spermidine, 123
Bernal, J. D., Symmetry of the genesis of form, 379
Bertsch, L. L. (see Mitra, S.), 429
β-Galactosidase, investigation of the induction in a broken spheroplast preparation of *Escherichia coli*, 177
— — structural gene of *Escherichia coli*, characterization by *in vitro* complementation of a peptide corresponding to an operator-proximal segment, 339
Bishop, J. M., Quintrell, N. & Koch, G., Poliovirus double-stranded RNA: Inactivation by ultraviolet light, 125
Broad bean mottle virus structure, 289
Brock, T. D. (see Leon, S. A.), 391

Campbell, A. (see Finch, J. T.), 289
p-Chloromercuribenzoate dissociation of *Escherichia coli* ribosomes, 485
Chloroplast and cytoplasmic ribosomes from pea seedlings, differences in sedimentation properties, 405
Chromosomes, isolated mammalian metaphase, characteristics of nucleic acids and prote ns, 29
Coiled-coil four-strand model for some insect fibrous proteins, 139
Colletti-Previero, M. A. (see Previero, A.), 261
Complementation of a peptide corresponding to an operator-proximal segment of the β-galactosidase structural gene of *Escherichia coli*, characterized *in vitro*, 339
Constantino, L. (see Liquori, A. M.), 113
Crescenzi, V. (see Liquori, A. M.), 113
Crystallographic study of rabbit G-immunoglobulin Fc piece, 351
Crystal structure of papain: three-dimensional Fourier synthesis at 4·5 Å resolution, 449
Cytosine residues, substitution of amino groups by hydroxylamine, 75
Cucumber mosaic virus structure, 303

Dahlberg, J. E. & Haselkorn, R., Studies on the binding of turnip yellow mosaic virus RNA to *Escherichia coli* ribosomes, 83
— & —, — — — non-specific binding of ribosomal RNA to *Escherichia coli* ribosomes, 105
Darnell, J. E. (see Girard, M.), 59
Das, H. J., Goldstein, A. & Lowney, L. I., Attachment of ribosomes to nascent messenger RNA in *Escherichia coli*, 231
Decker, G. L. (see Henn, F. A.), 51
Deoxyribonucleic acid and polyamine complexes, a molecular model, 113
— — 5-methylcytosine, extracted from polyoma virus, 475
— — from a blue-green alga *Plectonema boryanum*, base composition and presence of methylated bases, 479

Deoxyribonucleic acid, interaction with cationic homopolypeptides, 157
— — of bacteriophage ϕR irradiated with ultraviolet light, *in vivo* cleavage, 491
— — of polyoma virus, electrophoretic characterization and fractionation, 203
— — solutions, competitive effect of spermidine on the solubilization of 3,4-benzpyrene, 123
— — synthesis rate during the division cycle of *Escherichia coli* B/r, 417
— — template, circular single-stranded, replicated by DNA polymerase of *Escherichia coli*, 429
— —, ultraviolet-induced damage independent of molecular weight, 471
De Santis Savino, M. (see Liquori, A. M.), 113, 123
Dintzis, H. M. (see Poljak, R. J.), 351
Drenth, J., Jansonius, J. N. & Wolthers, B. G., The crystal structure of papain. II. A three-dimensional Fourier synthesis at 4·5 Å resolution, 449

Edlin, G. & Neuhard, J., Regulation of nucleoside triphosphate pools in *Escherichia coli*, 225
Ehrenberg, A. (see Lindskog, S.), 133
Electron micrographs of broad bean mottle virus, 289
— microscope studies of the properties of lipid bilayer membranes separating two aqueous phases, 51
Electrophoretic analysis of proteins from normal and cesium chloride-treated *Escherichia coli*, 149
— characterization and fractionation of polyoma virus DNA, 203
Elia, V. (see Liquori, A. M.), 113
Enzymic synthesis of deoxyribonucleic acid: replication of a circular single-stranded DNA template by DNA polymerase of *Escherichia coli*, 429
Escherichia coli B and K, genetics of control of the arginine pathway, 41
— — B/r, rate of DNA synthesis during the division cycle, 417
— —, characterization by *in vitro* complementation of a peptide corresponding to an operator-proximal segment of the β-galactosidase structural gene, 339
— —, fractionation studies of the ribosomal proteins, 367
— — galactose operon, role of the galactose transport system in the establishment of endogenous induction, 213
— —, investigation of induction of β-galactosidase in a broken spheroplast preparation, 177
— — lactose operon messenger RNA, synthesis, utilization and degradation, 247
— —, mutant of strain 15, decay of messenger RNA *in vivo*, 459
— — nascent messenger RNA, attachment of ribosomes, 231
— — normal and cesium chloride-treated ribosomes, electrophoretic analysis of proteins, 149
— —, orientation of antipolarity in the tryptophan operon, 143
— — $RC^{relaxed}$ strain, properties of ribonucleic acid components in ribonucleoprotein particle preparations, 269
— — — — starved for histidine, properties of ribonucleoprotein particles, 323
— —, regulation of nucleoside triphosphate pools, 225
— — ribosomes bound to turnip yellow mosaic virus RNA, 83
— — — interaction with polyuridylic acid analogues, 333
— — —, non-specific binding of ribosomal RNA, 105
— — — reversibly dissociated by *p*-chloromercuribenzoate, 485

Fibrous insect proteins, a four-strand coiled-coil model, 139
Finch, J. T. & Klug, A., Structure of broad bean mottle virus. I. Analysis of electron micrographs and comparison with turnip yellow mosaic virus and its top component, 289
— & —, with the assistance of A. Campbell, Appendix: Calculation and display of superposition patterns, 289
—, — & Van Regenmortel, M. H. V., The structure of cucumber mosaic virus, 303
Forchhammer, J. & Kjeldgaard, N. O., Decay of messenger RNA *in vivo* in a mutant of *Escherichia coli* 15, 459
Fourier synthesis at 4·5 Å resolution, three-dimensional, of papain crystal structure, 449
Fraenkel-Conrat, H. (see Lin, J-Y.), 1
Fridlender, B. (see Kaye, A. M.), 479

Galactose transport system, role in the establishment of endogenous induction of the galactose operon in *Escherichia coli*, 213
Garen, A. (see Andoh, T.), 129
Genetics of control of the arginine pathway in *Escherichia coli* B and K, 41

Gesteland, R. F. & Staehelin, T., Electrophoretic analysis of proteins from normal and cesium chloride-treated *Escherichia coli* ribosomes, 149
Giglio, E. (see Liquori, A. M.), 113
Girard, M., Baltimore, D. & Darnell, J. E., The poliovirus replication complex: site for synthesis of poliovirus RNA, 59
Goldberg, M., Viruses and a mathematical problem, 337
Goldstein, A. (see Das, H. J.), 231
Goldstein, D. J. (see Poljak, R. J.), 351
Gorini, L. (see Jacoby, G. A.), 41
Greenawalt, J. W. (see Henn, F. A.), 51

Hales, H. B. (see Scholes, C. P.), 471
Hartley, B. S. (see Weeds, A. G.), 307
Haselkorn, R. (see Dahlberg, J. E.), 83, 105
— (see Manor, H.), 269, 323
Helmstetter, C. E., Rate of DNA synthesis during the division cycle of *Escherichia coli* B/r, 417
Henn, F. A., Decker, G. L., Greenawalt, J. W. & Thompson, T. E., Properties of lipid bilayer membranes separating two aqueous phases: electron microscope studies, 51
Histidine-starved *Escherichia coli* $RC^{relaxed}$ strain, properties of ribonucleoprotein particles, 323
Hutchinson, F. (see Scholes, C. P.), 471
Hydroxylamine reaction at high concentration with deoxycytidine or with polycytidylic acid, 75

Iitaka, Y. (see Mitsui, Y.), 15
G-Immunoglobulin Fc piece in rabbit, a comparison of crystals from different allotypes, 351
Infrared demonstration of hydrogen bonding between purine and pyrimidine base analogues in solution, 345
— spectra, near, and magnetic susceptibility of bovine cobalt carbonic anhydrase, 1
Inman, R. B. (see Mitra, S.), 429
Ito, J. (see Yanofsky, C.), 143

Jacob, F. (see Ullmann, A.), 339
—, M. & Pouyet, G., Analyse de l'hétérogénéité de composition de deux échantillons d'acide désoxyribonucléique par ultracentrifugation, 355
— & —, Annexe: Relation entre $\langle \epsilon^2 \rangle$ et M_n, 365
Jacoby, G. A. & Gorini, L., Genetics of control of the arginine pathway in *Escherichia coli* B and K, 41
Jansonius, J. N. (see Drenth, J.), 449
Jollés, P. (see Previero, A.), 261

Kaye, A. M. & Winocour, E., On the 5-methylcytosine found in DNA extracted from polyoma virus, 475
—, Salomon, R. & Fridlender, B., Base composition and presence of methylated bases in DNA from a blue-green alga *Plectonema boryanum*, 479
Kjeldgaard, N. O. (see Forchhammer, J.), 459
Klug, A. (see Finch, J. T.), 289, 303
Koch, G. (see Bishop, J. M.), 125
Kollin, V. (see Leive, L.), 247
Kornberg, A. (see Mitra, S.), 429

Lactose operon messenger RNA in *Escherichia coli*, synthesis, utilization and degradation, 247
Lawley, P. D., Reaction of hydroxylamine at high concentration with deoxycytidine or with polycytidylic acid: Evidence that substitution of amino groups in cytosine residues by hydroxylamine is a primary reaction, and the possible relevance to hydroxylamine mutagenesis, 75
Leive, L. & Kollin, V., Synthesis, utilization and degradation of lactose operon messenger RNA in *Escherichia coli*, 247
Leon, S. A. & Brock, T. D., Effect of streptomycin and neomycin on physical properties of the ribosome, 391

Lin, J-Y., Tsung, C. M. & Fraenkel-Conrat, H., The coat protein of the RNA bacteriophage MS2, 1
Lindskog, S. & Ehrenberg, A., Magnetic susceptibility and near infrared spectra of bovine cobalt carbonic anhydrase, 133
Lipid bilayer membranes separating two aqueous phases, properties studied by electron microscope, 51
Liquori, A. M., Ascoli, F. & De Santis Savino, M., Competitive effect of spermidine on the solubilization of 3,4-benzpyrene in DNA solutions, 123
—, Constantino, L., Crescenzi, V., Elia, V., Giglio, E., Puliti, R., De Santis Savino, M. & Vitagliano, V., Complexes between DNA and polyamines: a molecular model, 113
— (see Periti, P. F.), 313
Lowney, L. I. (see Das, H. J.), 231
Lysozyme biological activity, localization of non-essential tryptophan residues, 261

Maio, J. J. & Schildkraut, C. L., Isolated mammalian metaphase chromosomes. I. General characteristics of nucleic acids and proteins, 29
Manor, H. & Haselkorn, R., Properties of ribonucleic acid components in ribonucleoprotein particle preparations obtained from an *Escherichia coli* $RC^{relaxed}$ strain, 269
— — —, — — ribonucleoprotein particles produced by an *Escherichia coli* $RC^{relaxed}$ strain starved for histidine, 323
Miller, J. H. & Sobell, H. M., Infrared demonstration of hydrogen bonding between purine and pyrimidine base analogues in solutions, 345
Methylated bases in DNA from a blue-green alga *Plectonema boryanum*, 479
5-Methylcytosine found in the DNA extracted from polyoma virus, 475
Mitra, S., Reichard, P., Inman, R. B., Bertsch, L. L. & Kornberg, A., Enzymic synthesis of deoxyribonucleic acid. XXII. Replication of a circular single-stranded DNA template by DNA polymerase of *Escherichia coli*, 429
Mitsui, Y., Iitaka, Y. & Tsuboi, M., Side-chain interaction between the α-helices of poly-γ-benzyl-L- and D-glutamates, 15
Miyazawa, F. & Tamaoki, T., Reversible dissociation of *Escherichia coli* ribosomes by α-chloromercuribenzoate, 485
Molecular weight, independance of ultraviolet-induced damage to DNA, 471
Möller, W. & Widdowson, J., Fractionation studies of the ribosomal proteins from *Escherichia coli*, 367
Monod, J. (see Ullmann, A.), 339
MS2 (see bacteriophage), 1
Mutagenesis by hydroxylamine, relevance of the reaction of hydroxylamine at high concentration with deoxycytidine and polycytidylic acid, 75
Myosin substructure, a chemical approach, 307

Neomycin and streptomycin effects on physical properties of the ribosome, 391
Neuhard, J. (see Edlin, G.), 225
Nowak, L. (see Szer, W.), 333
Nucleic acids and proteins of isolated mammalian metaphase chromosomes, 29
Nucleo-protein complexes, model: studies on the interaction of cationic homopolypeptides with DNA, 157
Nucleoside triphosphate pools, regulation in *Escherichia coli*, 225

Olins, A. L. (see Olins, D. E.), 157
—, D. E., Olins, A. L. & Von Hippel, P. H., Model nucleo-protein complexes: studies on the interaction of cationic homopolypeptides with DNA, 157
Ono, J. & Shimazu, Y., *In vivo* cleavage of a circular, single-stranded DNA of bacteriophage ϕR irradiated with ultraviolet light, 491

Papain crystal structure: three-dimensional Fourier synthesis at 4·5 Å resolution, 449
Pea seedling ribosomes of the chloroplast and cytoplasm, differences in sedimentation properties, 405
Periti, P. F., Quagliarotti, G. & Liquori, A. M., Recognition of α-helical segments in proteins of known primary structure, 313

ϕR (see bacteriophage), 491
Phillipovich, I. I. (see Svetailo, E. N.), 405
Plectonema boryanum, base composition and presence of methylated bases in its DNA, 479
Poliovirus (see virus), 59, 125
Poljak, R. J., Dintzis, H. M. & Goldstein, D. J., Crystallographic study of rabbit Fc: I. A correction. II. A comparison of crystals from different allotypes, 351
Poly-γ-benzyl-L- and D-glutamates, side-chain interaction between the α-helices, 15
Polyamine–DNA complexes, a molecular model, 113
Polycytidylic acid or deoxycytidine reaction with hydroxylamine at high concentration, 75
Polymerase, DNA, of *Escherichia coli* in replication of a circular single-stranded DNA template, 429
Polyoma virus DNA, electrophoretic characterization and fractionation, 203
— — —, 5-methylcytosine, 475
Polyuridylic acid analogue interaction with *Escherichia coli*, 333
Pouyet, G. (see Jacob, M.), 355, 365
Previero, A., Coletti-Previero, M-A. & Jollés, P., Localization of non-essential tryptophan residues for the biological activity of lysozyme, 261
Puliti, R. (see Liquori, A. M.), 113
Purine and pyrimidine base analogues in solution, infrared demonstration of hydrogen bonding, 345

Quagliarotti, G. (see Periti, P. F.), 313
Quintrell, N. (see Bishop, J. M.), 125

Rabinowitz, J. C. (see Tonomura, B.), 177
Reichard, P. (see Mitra, S.), 429
Ribonucleic acid bacteriophage MS2 coat protein, 1
— — derived from immature ribosomes, message activity, 329
— —, double-stranded, of poliovirus: inactivation by ultraviolet light, 125
— —, messenger, decay *in vivo* in a mutant of *Escherichia coli* 15, 459
— —, —, lactose operon in *Escherichia coli*, synthesis, utilization and degradation, 247
— —, nascent messenger, in *Escherichia coli*, attachment to ribosomes, 231
— — of poliovirus, site for synthesis, 59
— — — turnip yellow mosaic virus bound to *Escherichia coli* ribosomes, 83
— —, ribosomal, non-specific binding to *Escherichia coli* ribosomes, 105
— —, serine transfer, containing suppressor activity, fractionation, 129
Ribonucleoprotein particle preparations obtained from an *Escherichia coli* $RC^{relaxed}$ strain, properties of RNA components, 269
— particles produced by an *Escherichia coli* $RC^{relaxed}$ strain starved for histidine, properties, 323
Ribosomal proteins from *Escherichia coli*, fractionation studies, 367
Ribosome attachment to nascent messenger RNA in *Escherichia coli*, 231
—, effect of streptomycin and neomycin on the physical properties, 391
Ribosomes, immature, message activity of RNA, 329
— of *Escherichia coli* interaction with polyuridylic acid analogues, 333
— — — — reversibly dissociated by *p*-chloromercuribenzoate, 485
— — normal and cesium chloride-treated *Escherichia coli*, electrophoretic analysis of proteins, 149
— — pea seedling chloroplasts and cytoplasm, differences in sedimentation properties, 405

Salomon, R. (see Kaye, A. M.), 479
Schildkraut, C. L. (see Maio, J. J.), 29
Scholes, C. P., Hutchinson, F. & Hales, H. B., Ultraviolet-induced damage to DNA independent of molecular weight, 471
Sedimentation properties of chloroplast and cytoplasmic ribosomes from pea seedlings, 405
Serine transfer RNA containing suppressor activity, fractionation, 129
Shimazu, Y. (see Ono, J.), 491
Sissakian, N. M. (see Svetailo, E. N.), 405
Sobell, H. M. (see Miller, J. H.), 345
Spermidine, competitive effect on solublization of 3,4-benzpyrene in DNA solutions, 123
Spheroplast, broken, preparation of *Escherichia coli*, investigation of the induction of β-galactosidase, 177
Staehelin, T. (see Gesteland, R. F.), 149
Streptomycin and neomycin effect on physical properties of ribosomes, 391

Structure, known primary, of proteins, recognition of α-helical segments, 313
— of broad bean mottle virus, 289
— — cucumber mosaic virus, 303
Substructure of myosin, a chemical approach, 307
Suppressor activity contained in a serine transfer RNA, fractionation, 129
Svetailo, E. N., Phillippovich, I. I. & Sissakian, N. M., Differences in sedimentation properties of chloroplast and cytoplasmic ribosomes from pea seedlings, 405
Symmetry of the genesis of form, 379
Sypherd, P. S., Message activity of RNA derived from immature ribosomes, 329
Szer, W. & Nowak, L., Interaction of polyuridylic acid analogues with *Escherichia coli* ribosomes, 333

Tamaoki, T. (see Miyazawa, F.), 485
Thompson, T. E. (see Henn, F. A.), 51
Thorne, H. V., Electrophoretic characterization and fractionation of polyoma virus DNA, 203
Tonomura, B. & Rabinowitz, J. C., An investigation of the induction of β-galactosidase in a broken spheroplast preparation of *Escherichia coli*, 177
Tryptophan, localization of non-essential residues for the biological activity of lysozyme, 261
— operon of *Escherichia coli*, orientation of antipolarity, 143
Tsuboi, M. (see Mitsui, Y.), 15
Tsung, C. M. (see Lin, J-Y.), 1
Turnip yellow mosaic virus and its top component compared with broad bean mottle virus, 289
— — — — RNA bound to *Escherichia coli* ribosomes, 83

Ullmann, A., Jacob, F. & Monod, J., Characterization by *in vitro* complementation of a peptide corresponding to an operator-proximal segment of the β-galactosidase structural gene of *Escherichia coli*, 339
Ultraviolet-induced damage to DNA independent of molecular weight, 471
— light inactivation of poliovirus double-stranded RNA, 125
— — irradiation of bacteriophage φR, *in vivo* cleavage of circular, single-stranded DNA, 491

Van Regenmortel, M. H. V. (see Finch, J. T.), 303
Virus, poliovirus double-stranded RNA: Inactivation by ultraviolet light, 125
—, — replication complex; site for synthesis of poliovirus RNA, 59
—, polyoma DNA, electrophoretic characterization and fractionation, 203
—, —, the 5-methylcytosine found in the DNA, 475
—, structure of broad bean mottle compared with turnip yellow mosaic virus, 289
—, — — cucumber mosaic, 303
—, turnip yellow mosaic, RNA bound to *Escherichia coli* ribosomes, 83
Viruses and a mathematical problem, 337
Vitagliano, V. (see Liquori, A. M.), 113
Von Hippel, P. H. (see Olins, D. E.), 157

Weeds, A. G. & Hartley, B. S., A chemical approach to the substructure of myosin, 307
Widdowson, J. (see Möller, W.), 367
Winocour, E. (see Kaye, A. M.), 475
Wolthers, B. G. (see Drenth, J.), 449
Wu, H. C. P., Role of the galactose transport system in the establishment of endogenous induction of the galactose operon in *Escherichia coli*, 213

Yanofsky, C. & Ito, J., Orientation of antipolarity in the tryptophan operon of *Escherichia coli*, 143